

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Issue date: 13/12/2021 Revision date: 13/12/2021 Supersedes version of: 18/11/2020 Version: 4.0

SECTION 1 Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Mixture
Trade name CFS-SP SIL
Product code BU Fire Protection

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category Professional use

Industrial/Professional use spec Restricted to professional users
Use of the substance/mixture Firestop silicone joint spray

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier Department issuing data specification sheet

Hilti France S.A.S. Hilti AG

126 rue GallieniFeldkircherstraße 10092100 Boulogne-Billancourt - France9494 Schaan - Liechtenstein

T +33 825 01 05 05 T +423 234 2111
<u>fr-contactez-nous@hilti.com</u> <u>chemicals.hse@hilti.com</u>

1.4. Emergency telephone number

Emergency number Schweizerisches Toxikologisches Informationszentrum – 24h Service

+41 44 251 51 51 (international)

SECTION 2 Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]Mixtures/Substances: SDS EU > 2015: According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Skin sensitisation, Category 1 H317
Carcinogenicity, Category 1B H350

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

GHS08

Signal word (CLP)

Contains Vinyltris(methylethylketoxime)silane, Methyltris(1-methylpropylideneaminooxy)silane,

Butanone oxime

Hazard statements (CLP) H317 - May cause an allergic skin reaction.

H350 - May cause cancer.

Precautionary statements (CLP) P261 - Avoid breathing vapours, mist.

P280 - Wear eye protection, protective clothing, protective gloves.



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
P308+P313 - IF exposed or concerned: Get medical advice/attention.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

Extra phrases Restricted to professional users. UFI FAT5-Q2QX-6PN6-GKV2

2.3. Other hazards

Component	
Calcium carbonate (1317-65-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Methyltris(1-methylpropylideneaminooxy)silane (22984-54-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Vinyltris(methylethylketoxime)silane (2224-33-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Butanone oxime (96-29-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
methanol (67-56-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

Component	
Calcium carbonate(1317-65-3)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
Methyltris(1- methylpropylideneaminooxy)silane(22984-54-9)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
Vinyltris(methylethylketoxime)silane(2224-33-1)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
Butanone oxime (96-29-7)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
methanol(67-56-1)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Calcium carbonate	CAS-No. 1317-65-3	40 – 60	Not classified
substance with national workplace exposure limit(s) (FR)	EC-No. 215-279-6		
Methyltris(1-methylpropylideneaminooxy)silane	CAS-No. 22984-54-9	1 – 3	Skin Sens. 1B, H317
	EC-No. 245-366-4		STOT RE 2, H373
	REACH-no 01-2119970560-		Eye Irrit. 2, H319
	38		
Vinyltris(methylethylketoxime)silane	CAS-No. 2224-33-1	0 – 1	Skin Sens. 1B, H317
	EC-No. 218-747-8		STOT RE 2, H373
	REACH-no 01-2119987099-		Eye Dam. 1, H318
	18		
Butanone oxime	CAS-No. 96-29-7	0 – 1	Acute Tox. 3 (Oral), H301
	EC-No. 202-496-6		Acute Tox. 4 (Dermal), H312
	EC Index-No. 616-014-00-0		Skin Irrit. 2, H315
	REACH-no 01-2119539477-		Eye Dam. 1, H318
	28		Skin Sens. 1, H317
			Carc. 1B, H350
			STOT SE 1, H370
			STOT SE 3, H336
			STOT RE 2, H373
methanol	CAS-No. 67-56-1	0 – 1	Flam. Liq. 2, H225
substance with national workplace exposure limit(s)	EC-No. 200-659-6		Acute Tox. 3 (Inhalation), H331
(FR); substance with a Community workplace	EC Index-No. 603-001-00-X		Acute Tox. 3 (Dermal), H311
exposure limit			Acute Tox. 3 (Oral), H301
			STOT SE 1, H370

Specific concentration limits:

Name	Product identifier	Specific concentration limits
methanol	CAS-No. 67-56-1	(3 ≤C < 10) STOT SE 2, H371
	EC-No. 200-659-6	(10 ≤C ≤ 100) STOT SE 1, H370
	EC Index-No. 603-001-00-X	

Full text of H- and EUH-statements: see section 16

SECTION 4 First aid measures

4.1. Description of first aid measures	
First-aid measures general	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	Wash skin with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Take off contaminated clothing. Wash contaminated clothing before reuse.
First-aid measures after eye contact	Rinse eyes with water as a precaution. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	Call a poison center or a doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation May cause an allergic skin reaction. Symptoms/effects after skin contact May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 5 Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

Self-contained breathing apparatus. Complete protective clothing.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing spray, vapours.

Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper

protection.

Emergency procedures Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

Other information

For further information refer to section 13. See Section 8. Exposure controls and personal protection.

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear

personal protective equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in

process area to prevent formation of vapour. Avoid breathing

dust/fume/gas/mist/vapours/spray. Obtain special instructions before use. Do not handle

until all safety precautions have been read and understood.

Hygiene measures Do not eat, drink or smoke when using this product. Always wash hands after handling the

product. Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Keep only in the original container in a cool, well ventilated place away from : Keep

container closed when not in use.

Incompatible products Strong bases. Strong acids.
Incompatible materials Sources of ignition. Direct sunlight.

13/12/2021 (Version: 4.0) FR - en 4/13



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

7.3. Specific end use(s)

No additional information available

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

Additional information

The product has a pasty consistency. Exposure limit values for respirable dusts are not relevant for this product.

Calcium carbonate (1317-65-3)				
France - Occupational Exposure Limits				
VME (OEL TWA) 10 mg/m ³				
methanol (67-56-1)				
EU - Indicative Occupational Exposure Limit (IOEL)				
Local name	Methanol			
IOEL TWA	260 mg/m³			
IOEL TWA [ppm]	200 ppm			
Remark	Skin			
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC			
France - Occupational Exposure Limits				
Local name	Alcool méthylique			
VME (OEL TWA)	260 mg/m³			
VME (OEL TWA) [ppm]	200 ppm			
VLE (OEL C/STEL)	1300 mg/m³			
VLE (OEL C/STEL) [ppm]	1000 ppm			
Remark	Valeurs règlementaires contraignantes; risque de pénétration percutanée			
Regulatory reference	Article R4412-149 du Code du travail (réf.: INRS ED 984, 2016; Décret n° 2019-1487;			
	Décret n° 2020-1546; Décret n°2021-434)			

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment

Gloves. Protective clothing. Protective goggles. Avoid all unnecessary exposure.

Personal protective equipment symbol(s)











Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.2.2.1. Eye and face protection

Eye protection

Chemical goggles or safety glasses

Eye protection:

Туре	Field of application	Characteristics	Standard
Safety glasses			EN 166, EN 170

8.2.2.2. Skin protection

Skin and body protection

Wear suitable protective clothing

Hand protection

Protective gloves. Wear protective gloves.

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)				EN ISO 374

8.2.2.3. Respiratory protection

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment. In order to avoid inhalation of mist/vapour, all spraying must be done wearing adequate respirator. Wear appropriate mask

Device	Filter type	Condition	Standard
	Type A - High-boiling (>65 °C)		
	organic compounds		

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls

Avoid release to the environment.

Other information

Do not eat, drink or smoke during use.

No additional information available

SECTION 9 Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid Colour white. Appearance Pasty. Odour characteristic. Odour threshold Not available Not applicable Melting point Freezing point Not available > 35 °C Boiling point ≈ 435 °C Flammability

Not applicable, Non flammable.

Explosive properties Product is not explosive.

Explosive limits Not available



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Lower explosive limit (LEL) Not available Upper explosive limit (UEL) Not available

Flash point > 93 °C Not applicable.

Auto-ignition temperature Not available Decomposition temperature Not available рΗ Not applicable. Viscosity, kinematic Not available Solubility insoluble in water. Partition coefficient n-octanol/water (Log Kow) Not available Not available Vapour pressure Vapour pressure at 50 °C Not available Density 1,3 g/cm³ Relative density Not available Relative vapour density at 20 °C Not available Particle size Not applicable Particle size distribution Not applicable

Particle shape Not applicable Not applicable Particle aspect ratio Particle aggregation state Not applicable Not applicable Particle agglomeration state Particle specific surface area Not applicable Particle dustiness Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10 Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions. Not established.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Not established.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide.

SECTION 11 Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Not classified Acute toxicity (oral) Not classified Acute toxicity (dermal) Acute toxicity (inhalation) Not classified



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Calcium carbonate (1317-65-3)	
LD50 oral rat	6450 mg/kg (Rat, Literature study, Oral)
ATE CLP (oral)	6450 mg/kg bodyweight
Vinyltris(methylethylketoxime)silane (2224	
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 425: Acute Oral Toxicity: Up-and-Down Procedure,
	Rat, Male, Experimental value, Oral)
LD50 dermal rat	> 2009 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female,
	Experimental value, Dermal)
Methyltris(1-methylpropylideneaminooxy)s	silane (22984-54-9)
LD50 oral rat	2463 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female,
	Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female,
	Experimental value, Dermal, 14 day(s))
ATE CLP (oral)	2463 mg/kg bodyweight
Butanone oxime (96-29-7)	
LD50 oral rat	2326 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male, Experimental
	value, Oral)
LD50 dermal rabbit	> 1000 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male /
107011111	female, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 4,83 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental
ATE OLD (aux)	value, Inhalation (vapours), 14 day(s))
ATE CLP (darmal)	100 mg/kg bodyweight
ATE CLP (dermal)	1100 mg/kg bodyweight
methanol (67-56-1)	100 malles had supicialit
ATE CLP (oral) ATE CLP (dermal)	100 mg/kg bodyweight 300 mg/kg bodyweight
ATE CLP (definal) ATE CLP (gases)	700 ppmv/4h
ATE CLP (gases) ATE CLP (vapours)	3 mg/l/4h
ATE CLP (vapours) ATE CLP (dust,mist)	0,5 mg/l/4h
Skin corrosion/irritation	Not classified
Skin corrosion/imtation	pH Not applicable.
Additional information	Based on available data, the classification criteria are not met
Serious eye damage/irritation	Not classified
Solious by a damago/imation	pH Not applicable.
Additional information	Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Not classified
Additional information	Based on available data, the classification criteria are not met
Carcinogenicity	May cause cancer.
Reproductive toxicity	Not classified
Additional information	Based on available data, the classification criteria are not met
STOT-single exposure	Not classified
Additional information	Based on available data, the classification criteria are not met
Butanone oxime (96-29-7)	
STOT-single exposure	Causes damage to organs (upper respiratory tract). May cause drowsiness or dizziness.
methanol (67-56-1)	
STOT-single exposure	Causes damage to organs.
STOT-repeated exposure	Not classified
Additional information	Based on available data, the classification criteria are not met
Vinyltris(methylethylketoxime)silane (2224	
STOT-repeated exposure	May cause damage to organs (blood) through prolonged or repeated exposure (if
	swallowed).
Methyltris(1-methylpropylideneaminooxy)s	
STOT-repeated exposure	May cause damage to organs (blood) through prolonged or repeated exposure (if
	swallowed).



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Butanone oxime (96-29-7)	
STOT-repeated exposure	May cause damage to organs (blood) through prolonged or repeated exposure.
Aspiration hazard	Not classified
Additional information	Based on available data, the classification criteria are not met

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and symptoms

Based on available data, the classification criteria are not met

SECTION 12 Ecological information

1	2	١.	T۸	vi	ci	tv/
•	Z .		ш	ж	CI	LV

Ecology - general The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

acute)

Hazardous to the aquatic environment, long-term

(chronic)

Not classified

Not classified

(chronic)		
Calcium carbonate (1317-65-3)		
LC50 - Fish [1]	> 10000 mg/l (96 h, Oncorhynchus mykiss, Literature study)	
EC50 - Crustacea [1]	> 1000 mg/l (48 h, Daphnia magna, Literature study)	
EC50 72h - Algae [1]	> 200 mg/l (Desmodesmus subspicatus, Literature study)	
Vinyltris(methylethylketoxime)silane (2224-33-1)		
LC50 - Fish [1]	843 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Static system,	
	Fresh water, Experimental value, GLP)	
EC50 - Crustacea [1]	201 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna,	
	Static system, Fresh water, Experimental value, GLP)	
EC50 72h - Algae [1]	16 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static	
	system, Fresh water, Experimental value, GLP)	
Methyltris(1-methylpropylideneaminooxy)silane (2	2984-54-9)	
LC50 - Fish [1]	> 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oryzias latipes, Semi-static	
	system, Fresh water, Read-across, GLP)	
EC50 - Crustacea [1]	201 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna,	
	Static system, Fresh water, Read-across, GLP)	
ErC50 algae	16 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata,	
	Static system, Fresh water, Experimental value, GLP)	
Butanone oxime (96-29-7)		
LC50 - Fish [1]	> 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oryzias latipes, Semi-static	
	system, Fresh water, Experimental value, Nominal concentration)	
EC50 - Crustacea [1]	201 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna,	
	Static system, Fresh water, Experimental value, Locomotor effect)	
ErC50 algae	11,8 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Selenastrum capricornutum,	
	Static system, Fresh water, Experimental value, Nominal concentration)	
methanol (67-56-1)		
LC50 - Fish [1]	10800 mg/l (96 h, Salmo gairdneri, Other isotope)	
EC50 - Crustacea [1]	24500 mg/l (48 h, Daphnia magna, Other isotope)	
EC50 72h - Algae [1]	8000 mg/l (Algae, Other isotope)	

12.2. Persistence and degradability

,		
CFS-SP SIL		
Persistence and degradability	Not established.	



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Calcium carbonate (1317-65-3)		
Persistence and degradability Biodegradability: not applicable.		
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	
Vinyltris(methylethylketoxime)silane (2224-33-1)		
Persistence and degradability	Not readily biodegradable in water.	
Methyltris(1-methylpropylideneaminooxy)silane (22984-54-9)		
Persistence and degradability	Not readily biodegradable in water.	
Butanone oxime (96-29-7)		
Persistence and degradability	Not readily biodegradable in water. Inherently biodegradable.	
methanol (67-56-1)		
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	0,6 – 1,1 g O ₂ /g substance	
ThOD	1,5 g O ₂ /g substance	
BOD (% of ThOD)	0.4 - 0.73	

12.3. Bioaccumulative potential

<u> </u>			
CFS-SP SIL			
Bioaccumulative potential	Not established.		
Calcium carbonate (1317-65-3)			
Bioaccumulative potential	Bioaccumulation: not applicable.		
Vinyltris(methylethylketoxime)silane (2224-33-1)			
BCF - Fish [1]	0,5 – 0,6 (Other, 6 week(s), Cyprinus carpio, Flow-through system, Fresh water,		
	Experimental value, GLP)		
Partition coefficient n-octanol/water (Log Pow)	10,19 (Calculated, KOWWIN)		
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).		
Methyltris(1-methylpropylideneaminooxy)silane (22984-54-9)			
BCF - Fish [1]	0,5 – 5,8 (6 week(s), Cyprinus carpio, Flow-through system, Experimental value)		
Partition coefficient n-octanol/water (Log Pow)	0,36 (Experimental value)		
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).		
Butanone oxime (96-29-7)			
BCF - Fish [1]	0,5 – 5,8 (OECD 305: Bioconcentration: Flow-Through Fish Test, 42 day(s), Cyprinus		
	carpio, Fresh water, Experimental value, GLP)		
Partition coefficient n-octanol/water (Log Pow)	0,63 (Experimental value, Equivalent or similar to OECD 117)		
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).		
methanol (67-56-1)			
BCF - Fish [1]	< 10 (Leuciscus idus, Other isotope)		
Partition coefficient n-octanol/water (Log Pow)	-0,820,66		
Bioaccumulative potential	Not bioaccumulative.		

12.4. Mobility in soil

Calcium carbonate (1317-65-3)		
Ecology - soil	No (test)data on mobility of the substance available.	
Vinyltris(methylethylketoxime)silane (2224-33-1)		
Organic Carbon Normalized Adsorption Coefficient	5,773 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
(Log Koc)		
Ecology - soil	Adsorbs into the soil.	
Methyltris(1-methylpropylideneaminooxy)silane (2)	2984-54-9)	
Organic Carbon Normalized Adsorption Coefficient	5,481 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
(Log Koc)		
Ecology - soil	Adsorbs into the soil.	
Butanone oxime (96-29-7)		
Surface tension	30,29 mN/m (16 °C)	
Organic Carbon Normalized Adsorption Coefficient	0,55 (log Koc, SRC PCKOCWIN v2.0, QSAR)	
(Log Koc)		
Ecology - soil	Highly mobile in soil.	



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.5. Results of PBT and vPvB assessment

Component	
Calcium carbonate (1317-65-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Methyltris(1-methylpropylideneaminooxy)silane	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
(22984-54-9)	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Vinyltris(methylethylketoxime)silane (2224-33-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Butanone oxime (96-29-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
methanol (67-56-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information

Avoid release to the environment.

SECTION 13 Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

Ecology - waste materials European List of Waste (LoW) code Dispose of contents/container in accordance with licensed collector's sorting instructions. Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Avoid release to the environment.

08 04 09* - waste adhesives and sealants containing organic solvents or other dangerous

substances

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID /

ADR	IMDG	IATA	RID	
14.1. UN number or ID number	14.1. UN number or ID number			
Not applicable	Not applicable	Not applicable	Not applicable	
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	
14.3. Transport hazard class(es)	14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	
14.4. Packing group				
Not applicable Not applicable		Not applicable	Not applicable	
14.5. Environmental hazards				
Not applicable Not applicable		Not applicable	Not applicable	
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Transport by sea

Not applicable

Air transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15 Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	
28.	CFS-SP SIL	

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Restricted to professional users

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

France		
Occupational diseases		
Code	Description	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16 Other information

Indication of changes:

Section	Changed item	Change	Comments
			general update
2		Modified	
3		Modified	

Data sources REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

None.

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-s	tatements:		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3		
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3		
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4		
Carc. 1B	Carcinogenicity, Category 1B		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 2	Flammable liquids, Category 2		
H225	Highly flammable liquid and vapour.		
H301	Toxic if swallowed.		
H311	Toxic in contact with skin.		
H312	Harmful in contact with skin.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H331	Toxic if inhaled.		
H336	May cause drowsiness or dizziness.		
H350	May cause cancer.		
H370	Causes damage to organs.		
H371	May cause damage to organs.		
H373	May cause damage to organs through prolonged or repeated exposure.		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
Skin Sens. 1	Skin sensitisation, Category 1		
Skin Sens. 1B	Skin sensitisation, category 1B		
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2		
STOT SE 1	Specific target organ toxicity — single exposure, Category 1		
STOT SE 2	Specific target organ toxicity — Single exposure, Category 2		
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis		

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]		
Skin Sens. 1	H317	Calculation method
Carc. 1B	H350	Calculation method

SDS_EU_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.