

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 12/8/2022 Revision date: 12/8/2022 Supersedes version of: 4/10/2017

Version: 4.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form Mixture

Name Cleaning Spray 150 ml
UFI GHQK-RY4U-343T-E66V
Product code BU Direct Fastening
Vaporizer Aerosol

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.2.1. Relevant identified uses

Industrial/Professional use spec For professional use only

### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Supplier Department issuing data specification sheet

Hilti France S.A.S. Hilti Entwicklungsgesellschaft mbH

126 rue Gallieni Hiltistrasse 6
FR- 92100 Boulogne-Billancourt DE- 86916 Kaufering

France Deutschland

T +33 825 01 05 05 T +49 8191 906310 - F +49 8191 90176310

<u>fr-contactez-nous@hilti.com</u> <u>df-hse@hilti.com</u>

### 1.4. Emergency telephone number

Emergency number Schweizerisches Toxikologisches Informationszentrum – 24h Service

+41 44 251 51 51 (international)

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229
Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 2 H319
Specific target organ toxicity – Single exposure, Category 3, Narcosis H336
Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS02

Danger

GHS07

GHS09

Signal word (CLP)

Contains hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane, Acetone, 1-methoxypropan-2-ol



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

22 - Extremely flammable aerosol.
29 - Pressurised container: May burst if heated.
5 - Causes skin irritation.
9 - Causes serious eye irritation.
36 - May cause drowsiness or dizziness.
1 - Toxic to aquatic life with long lasting effects.
0 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
smoking.
1 - Do not spray on an open flame or other ignition source.
i1 - Do not pierce or burn, even after use.
1 - Avoid breathing dust, fume, gas, mist, spray, vapours.
05+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
tact lenses, if present and easy to do. Continue rinsing.
0+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
professional users only.

### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Acetone (67-64-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
1-methoxypropan-2-ol (107-98-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Carbon dioxide (124-38-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component		
hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	
Acetone(67-64-1)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	
1-methoxypropan-2-ol(107-98-2)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	
Carbon dioxide(124-38-9)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane	EC-No.: 921-024-6 REACH-no: 01-2119475514- 35	50 – 75	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Acetone substance with national workplace exposure limit(s) (FR); substance with a Community workplace exposure limit	CAS-No.: 67-64-1 EC-No.: 200-662-2 EC Index-No.: 606-001-00-8 REACH-no: 01-2119471330-	25 – 50	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 EUH066
1-methoxypropan-2-ol substance with national workplace exposure limit(s) (FR); substance with a Community workplace exposure limit	CAS-No.: 107-98-2 EC-No.: 203-539-1 EC Index-No.: 603-064-00-3 REACH-no: 01-2119457435- 35	5 – 10	Flam. Liq. 3, H226 STOT SE 3, H336
Carbon dioxide (Propellant gas (Aerosol)) substance with national workplace exposure limit(s) (FR); substance with a Community workplace exposure limit	CAS-No.: 124-38-9 EC-No.: 204-696-9	5 – 10	Press. Gas (Liq.), H280

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case.

Full text of H- and EUH-statements: see section 16

### **SECTION 4: First aid measures**

First-aid measures general Take off immediately all contaminated clothing. Call a poison center or a doctor if you feel

unwell.

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical

advice/attention.

First-aid measures after eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get immediate medical advice/attention.

First-aid measures after ingestion Get immediate medical advice/attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation Shortness of breath.

Symptoms/effects after skin contact Irritation.

Symptoms/effects after eye contact Eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

12/8/2022 (Version: 4.0) FR - en 3/18



### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media Water spray. Carbon dioxide. Dry powder. Foam. Sand.

Unsuitable extinguishing media Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard Extremely flammable aerosol.

Explosion hazard Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of

burns and injuries.

Hazardous decomposition products in case of fire Formation of toxic gases is possible during heating or in case of fire. Thermal

decomposition generates: Carbon dioxide. Carbon monoxide.

### 5.3. Advice for firefighters

Precautionary measures fire Fight fire remotely due to the risk of explosion.

Firefighting instructions DO NOT fight fire when fire reaches explosives. Evacuate area.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures Evacuate area. No flames, no sparks. Eliminate all sources of ignition.

### 6.1.1. For non-emergency personnel

Emergency procedures Ventilate spillage area. Avoid breathing spray, vapours. Evacuate unnecessary personnel.

### 6.1.2. For emergency responders

Protective equipment Do not attempt to take action without suitable protective equipment. Breathing apparatus.

Emergency procedures Ventilate area.

### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Do not flush with water.

### 6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Additional hazards when processed Hazardous waste due to potential risk of explosion. Do not pierce or burn, even after use. Precautions for safe handling Do not eat, drink or smoke when using this product. Do not breathe vapours. Avoid contact

with skin, eyes and clothing. Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Hygiene measures Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures Proper grounding procedures to avoid static electricity should be followed.

Storage conditions Keep cool. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Keep in fireproof place.

Incompatible materials Heat sources. Direct sunlight.

Storage temperature 5-25 °C

Heat and ignition sources

Keep away from heat and direct sunlight.

Do not store with DX powder cartridges.



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 7.3. Specific end use(s)

No additional information available

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### 8.1.1. National occupational exposure and biological limit values

Acetone (67-64-1)			
EU - Indicative Occupational Exposure Limit (IOEL)			
Local name	Acetone		
IOEL TWA	1210 mg/m³		
IOEL TWA [ppm]	500 ppm		
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC		
France - Occupational Exposure Limits			
Local name	Acétone		
VME (OEL TWA)	1210 mg/m³		
VME (OEL TWA) [ppm]	500 ppm		
VLE (OEL C/STEL)	2420 mg/m³		
VLE (OEL C/STEL) [ppm]	1000 ppm		
Remark	Valeurs règlementaires contraignantes		
Regulatory reference	Article R4412-149 du Code du travail (réf.: INRS ED 984, 2016; Décret n° 2019-1487; Décret n° 2020-1546; Décret n° 2021-434; Décret n° 2021-1849)		
1-methoxypropan-2-ol (107-98-2)			
EU - Indicative Occupational Exposure Limit (IOEL)			
Local name	1-Methoxypropanol-2		
IOEL TWA	375 mg/m³		
IOEL TWA [ppm]	100 ppm		
IOEL STEL	568 mg/m³		
IOEL STEL [ppm]	150 ppm		
Remark	Skin		
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC		
France - Occupational Exposure Limits			
Local name	1-Méthoxy-2-propanol		
VME (OEL TWA)	188 mg/m³		
VME (OEL TWA) [ppm]	50 ppm		
VLE (OEL C/STEL)	375 mg/m³		
VLE (OEL C/STEL) [ppm]	100 ppm		
Remark	Valeurs règlementaires contraignantes; risque de pénétration percutanée		



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

1-methoxypropan-2-ol (107-98-2)			
Regulatory reference	Article R4412-149 du Code du travail (réf.: INRS ED 984, 2016; Décret n° 2019-1487; Décret n° 2020-1546; Décret n° 2021-434; Décret n° 2021-1849)		
Carbon dioxide (124-38-9)			
EU - Indicative Occupational Exposure Limit (IOEL)			
Local name	Carbon dioxide		
IOEL TWA	9000 mg/m³		
IOEL TWA [ppm]	5000 ppm		
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC		
France - Occupational Exposure Limits			
Local name	Carbone (dioxyde de)		
VME (OEL TWA)	9000 mg/m³		
VME (OEL TWA) [ppm]	5000 ppm		
Remark	Valeurs règlementaires indicatives		
Regulatory reference	Arrêté du 30 juin 2004 modifié (réf.: INRS ED 984, 2016)		

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

DNLL and I NLO			
hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane			
DNEL/DMEL (Workers)			
Long-term - systemic effects, dermal	773 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	2035 mg/m³		
DNEL/DMEL (General population)			
Long-term - systemic effects,oral	699 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	608 mg/m³		
Long-term - systemic effects, dermal	699 mg/kg bodyweight/day		
Acetone (67-64-1)			
DNEL/DMEL (Workers)			
Acute - local effects, inhalation	2420 mg/m³		
Long-term - systemic effects, dermal	186 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	1210 mg/m³		
DNEL/DMEL (General population)			
Long-term - systemic effects,oral	62 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	200 mg/m³		
Long-term - systemic effects, dermal	62 mg/kg bodyweight/day		



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Acetone (67-64-1)				
PNEC (Water)				
PNEC aqua (freshwater)	10.6 mg/l			
PNEC aqua (marine water)	1.06 mg/l			
PNEC aqua (intermittent, freshwater)	21 mg/l			
PNEC (Sediment)				
PNEC sediment (freshwater)	30.4 mg/kg dwt			
PNEC sediment (marine water)	3.04 mg/kg dwt			
PNEC (Soil)				
PNEC soil	29.5 mg/kg dwt			
PNEC (STP)				
PNEC sewage treatment plant	100 mg/l			
1-methoxypropan-2-ol (107-98-2)				
DNEL/DMEL (Workers)				
Acute - systemic effects, inhalation	553.5 mg/m³			
Long-term - systemic effects, dermal	183 mg/kg bodyweight/day			
Long-term - systemic effects, inhalation	369 mg/m³			
Long-term - local effects, inhalation	553.5 mg/m³			
DNEL/DMEL (General population)				
Long-term - systemic effects,oral	33			
Long-term - systemic effects, inhalation	43.9 mg/m³			
Long-term - systemic effects, dermal	78			
PNEC (Water)	PNEC (Water)			
PNEC aqua (freshwater)	10 mg/l			
PNEC aqua (marine water)	1 mg/l			
PNEC aqua (intermittent, freshwater)	100 mg/l			
PNEC (Sediment)				
PNEC sediment (freshwater)	52.3 mg/kg dwt			
PNEC sediment (marine water)	5.2 mg/kg dwt			
PNEC (Soil)				
PNEC soil	4.59 mg/kg dwt			
PNEC (STP)				
PNEC sewage treatment plant	100 mg/l			

### 8.1.5. Control banding

No additional information available



### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

### Appropriate engineering controls:

Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

### Personal protective equipment symbol(s):





### 8.2.2.1. Eye and face protection

### Eye protection:

Chemical goggles or safety glasses. EN 166. EN 170

### 8.2.2.2. Skin protection

### Hand protection:

In case of repeated or prolonged contact wear gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	_ ·	No supplementary information available	EN ISO 374

### 8.2.2.3. Respiratory protection

### Respiratory protection:

No respiratory protection needed under normal use conditions. In case of insufficient ventilation, wear suitable respiratory equipment

Respiratory protection			
Device	Filter type	Condition	Standard
Breathing apparatus with filter	A2/P3	If conc. in air > exposure limit	EN 143

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

No additional information available

No additional information available

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state Liquid Colour clear. Appearance Aerosol. Odour solvent-like. Odour threshold Not available Not available Melting point Freezing point Not available Boiling point Not available

Flammability Extremely flammable aerosol.



### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Explosive properties Product is not explosive. May form flammable/explosive vapour-air mixture.

Lower explosion limit Upper explosion limit 13 vol % < 21 °C Flash point > 200 °C Auto-ignition temperature Decomposition temperature Not available Not available рΗ Viscosity, kinematic Not available Solubility Not available Partition coefficient n-octanol/water (Log Kow) Not available Vapour pressure 5500 hPa (20 °C) Vapour pressure at 50°C Not available Density 0.7 g/cm<sup>3</sup> Relative density Not available Relative vapour density at 20°C Not available Particle characteristics Not applicable

### 9.2. Other information

### 9.2.1. Information with regard to physical hazard classes

% of flammable ingredients : > 80 %

9.2.2. Other safety characteristics

VOC content 747 g/l (99,5 %)

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

No additional information available

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

Heat. Sparks. Open flame. Direct sunlight. Overheating.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Carbon dioxide. Carbon monoxide.

### SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)

Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (dermal)

Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (inhalation)

Not classified (Based on available data, the classification criteria are not met)

hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane		
LD50 oral rat	> 5840 mg/kg bodyweight	
LD50 dermal rat	> 2920 mg/kg bodyweight	
LC50 Inhalation - Rat (Vapours)	> 25.2 mg/l/4h	



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Acetone (67-64-1)			
LD50 oral rat	5800 mg/kg bodyweight		
LD50 dermal rat	> 7400 mg/kg bodyweight		
LC50 Inhalation - Rat (Vapours)	76 mg/l/4h		
1-methoxypropan-2-ol (107-98-2)			
LD50 oral rat	4016 mg/kg bodyweight		
LD50 dermal rat	> 2000 mg/kg bodyweight		
Skin corrosion/irritation	Causes skin irritation.		
Serious eye damage/irritation	Causes serious eye irritation.		
Respiratory or skin sensitisation	Not classified (Based on available data, the classification criteria are not met)		
Germ cell mutagenicity	Not classified (Based on available data, the classification criteria are not met)		
Carcinogenicity	Not classified (Based on available data, the classification criteria are not met)		
Reproductive toxicity	Not classified (Based on available data, the classification criteria are not met)		
STOT-single exposure	May cause drowsiness or dizziness.		
hydrocarbons, C6-C7, n-alkanes, isoalkanes, cycli	cs, < 5% n-hexane		
STOT-single exposure	May cause drowsiness or dizziness.		
Acetone (67-64-1)			
STOT-single exposure	May cause drowsiness or dizziness.		
1-methoxypropan-2-ol (107-98-2)			
STOT-single exposure	May cause drowsiness or dizziness.		
STOT-repeated exposure	Not classified (Based on available data, the classification criteria are not met)		
Aspiration hazard	Not classified (Based on available data, the classification criteria are not met)		
Cleaning Spray 150 ml			
Vaporizer	Aerosol		

### 11.2. Information on other hazards

No additional information available

### **SECTION 12: Ecological information**

OLOTION 12: Loological information	
12.1. Toxicity	
Hazardous to the aquatic environment, short–term (acute)	Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic)	Toxic to aquatic life with long lasting effects. (Based on available data, the classification criteria are not met)
hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic	s, < 5% n-hexane
LC50 - Fish [1]	11.4 mg/l (96 h, Oncorhynchus mykiss, (OECD 203 method))
EC50 - Crustacea [1]	3 mg/l (48 h, Daphnia magna, (OECD 202 method))
ErC50 algae	≥ 10 mg/l (72 h, Pseudokirchneriella subcapitata, (OECD 201 method))
NOEC (chronic)	0.17 (21 d, Daphnia magna, (OECD 211 method), <tx:kft_read-across>)</tx:kft_read-across>
NOEC chronic fish	2.045 mg/l (Quantitative structure-activity relationship (QSAR))
NOEC chronic crustacea	0.17 mg/l (21 d; Daphnia magna; (OECD 211 method))
NOEC chronic algae	3 mg/l (72 h, Pseudokirchneriella subcapitata, (OECD 201 method))



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Acetone (67-64-1)	
LC50 - Fish [1]	5540 mg/l (96 h; Oncorhynchus mykiss)
EC50 - Crustacea [1]	8800 mg/l (48 h; Daphnia pulex)
NOEC chronic crustacea	2212 mg/l (28 d; Daphnia magna)
1-methoxypropan-2-ol (107-98-2)	
LC50 - Fish [1]	6812 mg/l (96 h; Leuciscus idus; DIN 38 412, part L15)
EC50 - Crustacea [1]	> 100 mg/l (48 h; Daphnia magna)
Carbon dioxide (124-38-9)	
LC50 - Fish [1]	35 mg/l (96 h; Salmo gairdneri; Literature data)
I2.2. Persistence and degradability	
hydrocarbons, C6-C7, n-alkanes, isoalkanes, cy	/clics, < 5% n-hexane
Persistence and degradability	Readily biodegradable.
Biodegradation	98 % (28 d; (OECD 301F method))
Acetone (67-64-1)	
Persistence and degradability	Readily biodegradable.
Biodegradation	90.9 % (28 d; (OECD 301B method))
1-methoxypropan-2-ol (107-98-2)	
Persistence and degradability	Readily biodegradable.
Biodegradation	96 % (28 d; (OECD 301E method))
Carbon dioxide (124-38-9)	
Persistence and degradability	Not applicable.
12.3. Bioaccumulative potential	
Acetone (67-64-1)	
Bioconcentration factor (BCF REACH)	3 (calculated value)
Bioaccumulative potential	Bioaccumulation unlikely.
1-methoxypropan-2-ol (107-98-2)	
Partition coefficient n-octanol/water (Log Kow)	0.37 (20 °C)
Bioaccumulative potential	Bioaccumulation unlikely.
Carbon dioxide (124-38-9)	
Partition coefficient n-octanol/water (Log Pow)	0.83 (Measured)
12.4. Mobility in soil	
Acetone (67-64-1)	
Surface tension	23.3 mN/m (20 °C)
1-methoxypropan-2-ol (107-98-2)	
Surface tension	70.7 mN/m (1 g/L; 20°C)

No additional information available



### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

No additional information available

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Regional legislation (waste)

Waste treatment methods Product/Packaging disposal recommendations

Additional information

European List of Waste (LoW) code

**HP Code** 

Disposal must be done according to official regulations.

Dispose of contents/container in accordance with licensed collector's sorting instructions.

Container under pressure. Do not drill or burn even after use.

Flammable vapours may accumulate in the container.

15 01 04 - metallic packaging

20 01 13\* - solvents

HP3 - "Flammable:"

- flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
- flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
- flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
- flammable gaseous waste: gaseous waste which is flammable in air at 20  $^{\circ}\text{C}$  and a standard pressure of 101.3 kPa;
- water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
- other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.
- HP5 "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration.
- HP4 "Irritant skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.
- HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

### **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / RID

ADR	IMDG IATA		RID	
14.1. UN number or ID number				
UN 1950	UN 1950	UN 1950	UN 1950	
14.2. UN proper shipping name				
AEROSOLS	AEROSOLS Aerosols, flammable		AEROSOLS	
Transport document description				
UN 1950 AEROSOLS, 2.1, (D)	1, (D) UN 1950 AEROSOLS, 2.1 UN 1950 Aerosols, flammable, 2.		1 UN 1950 AEROSOLS, 2.1	
14.3. Transport hazard class(es)		,		
2.1	2.1	2.1	2.1	



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	RID	
**************************************				
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	
•	ces derogation applies (quantity of liq ore not required, as stated in the ADF	uids ≤ 5 litres or net mass of solids ≤ R regulation, section 5.2.1.8.1.	5 kg). The environmentally	
No supplementary information availa	able			

### 14.6. Special precautions for user

### **Overland transport**

Classification code (ADR) 5F

Special provisions (ADR) 190, 327, 344, 625

Limited quantities (ADR) 11
Excepted quantities (ADR) E0

Packing instructions (ADR) P207, LP200 Special packing provisions (ADR) PP87, RR6, L2

Mixed packing provisions (ADR) MP9
Transport category (ADR) 2
Special provisions for carriage - Packages (ADR) V14
Special provisions for carriage - Loading, unloading CV9, CV12

and handling (ADR)

Special provisions for carriage - Operation (ADR) S2
Tunnel restriction code (ADR) D

### Transport by sea

Special provisions (IMDG) 63, 190, 277, 327, 344, 381, 959

Limited quantities (IMDG) SP277
Excepted quantities (IMDG) E0

Packing instructions (IMDG) P207, LP200 Special packing provisions (IMDG) PP87, L2 EmS-No. (Fire) F-D EmS-No. (Spillage) S-U Stowage category (IMDG) None Stowage and handling (IMDG) SW1, SW22 Segregation (IMDG) SG69 MFAG-No 126

### Air transport

PCA Excepted quantities (IATA) E0
PCA Limited quantities (IATA) Y203
PCA limited quantity max net quantity (IATA) 30kgG
PCA packing instructions (IATA) 203
PCA max net quantity (IATA) 75kg
CAO packing instructions (IATA) 203
CAO max net quantity (IATA) 150kg



### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions (IATA) A145, A167, A802

ERG code (IATA) 10L

Rail transport

Classification code (RID) 5F

Special provisions (RID) 190, 327, 344, 625

Limited quantities (RID) 1L Excepted quantities (RID) E0

Packing instructions (RID) P207, LP200 Special packing provisions (RID) PP87, RR6, L2

Mixed packing provisions (RID) MP9

Transport category (RID) 2

Special provisions for carriage – Packages (RID) W14

Special provisions for carriage - Loading, unloading CW9, CW12

and handling (RID)

Colis express (express parcels) (RID) CE2
Hazard identification number (RID) 23

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)				
Reference code	Applicable on	Entry title or description		
3(a)	Cleaning Spray 150 ml; hydrocarbons, C6-C7, n- alkanes, isoalkanes, cyclics, < 5% n-hexane; Acetone; 1- methoxypropan-2-ol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F		
3(b)	Cleaning Spray 150 ml; hydrocarbons, C6-C7, n- alkanes, isoalkanes, cyclics, < 5% n-hexane; Acetone; 1- methoxypropan-2-ol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10		
3(c)	Cleaning Spray 150 ml; hydrocarbons, C6-C7, n- alkanes, isoalkanes, cyclics, < 5% n-hexane	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1		
40.	Cleaning Spray 150 ml; hydrocarbons, C6-C7, n- alkanes, isoalkanes, cyclics, < 5% n-hexane; Acetone; 1- methoxypropan-2-ol	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.		

### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)



### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

### **VOC Directive (2004/42)**

VOC content 747 g/l (99,5 %)

### Seveso Directive (Disaster Risk Reduction)

Seveso III Part I (Categories of dangerous substances)	Qualifying quantity (tonnes)	
	Lower-tier	Upper-tier
P3b FLAMMABLE AEROSOLS 'Flammable' aerosols Category 1 or 2, not containing flammable gases Category 1 or 2 nor flammable liquids category 1	5000	50000
E2 Hazardous to the Aquatic Environment in Category Chronic 2	200	500

### **Explosives Precursors Regulation (2019/1148)**

Contains substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### ANNEX II REPORTABLE EXPLOSIVES PRECURSORS

List of substances on their own or in mixtures or in substances for which suspicious transactions and significant disappearances and thefts are to be reported to the relevant national contact point within 24 hours.

Name	CAS-No.		Combined Nomenclature code for mixture without constituents which would determine classification under another CN code
Acetone	67-64-1	2914 11 00	ex 3824 99 92

Please see https://ec.europa.eu/home-affairs/system/files/2021-11/list\_of\_competent\_authorities\_and\_national\_contact\_points\_en.pdf

### **Drug Precursors Regulation (273/2004)**

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category	Threshold	Annex
Acetone		67-64-1	2914 11 00	Category 3		Annex I



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 15.1.2. National regulations

### France

Occupational diseases		
Code	Description	
RG 66	Occupational rhinitis and asthma	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

### 15.2. Chemical safety assessment

No additional information available

### **SECTION 16: Other information**

Indication of changes				
Section	Changed item	Change	Comments	
	General	Modified	SDS EU format according to COMMISSION REGULATION (EU) 2020/878	
1	UFI	Added		
2.2	Labelling according to Regulation (EC) No. 1272/2008 [CLP]	Modified		
3	Composition/information on ingredients	Modified		
8.2	Personal protective equipment	Added		
9	Physical and chemical properties	Modified		
11	Toxicological information	Modified		
12.1	Ecotoxicological information	Modified		
15	Regulatory information	Added		

Abbreviations and acronyms:		
CAS-No.	Chemical Abstract Service number	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DNEL	Derived-No Effect Level	
EC50	Median effective concentration	
ED	Endocrine disrupting properties	
EC-No.	European Community number	



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
EN	European Standard	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
IOELV	Indicative Occupational Exposure Limit Value	
LC50	Median lethal concentration	
LD50	Median lethal dose	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
N.O.S.	Not Otherwise Specified	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
TLM	Median Tolerance Limit	
TRGS	Technical Rules for Hazardous Substances	
VOC	Volatile Organic Compounds	
WGK	Water Hazard Class	
vPvB	Very Persistent and Very Bioaccumulative	
NOAEL	No-Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
LOAEL	Lowest Observed Adverse Effect Level	

Data sources

Source: European Chemicals Agency, http://echa.europa.eu/. manufacturer.

Full text of H- and EUH-statements:		
Aerosol 1	Aerosol, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
EUH066	Repeated exposure may cause skin dryness or cracking.	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H222	Extremely flammable aerosol.	
H225	Highly flammable liquid and vapour.	



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H226	Flammable liquid and vapour.	
H229	Pressurised container: May burst if heated.	
H280	Contains gas under pressure; may explode if heated.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
H411	Toxic to aquatic life with long lasting effects.	
Press. Gas (Liq.)	Gases under pressure : Liquefied gas	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	

### SDS EU Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.