

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 12/13/2022 Revision date: 12/13/2022 Supersedes version of: 4/11/2017

Version: 3.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form Mixture

Name Cleaning Spray 500 ml
UFI ECGP-VYCT-D43P-WJXD
Product code BU Direct Fastening
Vaporizer Aerosol

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec For professional use only

## 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

Supplier Department issuing data specification sheet

Hilti France S.A.S. Hilti Entwicklungsgesellschaft mbH

126 rue Gallieni Hiltistrasse 6
FR- 92100 Boulogne-Billancourt DE- 86916 Kaufering

France Deutschland

T +33 825 01 05 05 T +49 8191 906310 - F +49 8191 90176310

<u>fr-contactez-nous@hilti.com</u> <u>df-hse@hilti.com</u>

### 1.4. Emergency telephone number

Emergency number Schweizerisches Toxikologisches Informationszentrum – 24h Service

+41 44 251 51 51 (international)

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229
Skin corrosion/irritation, Category 2 H315
Specific target organ toxicity – Single exposure, Category 3, Narcosis H336
Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS02

GHS09

Signal word (CLP)

Contains hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane

Hazard statements (CLP) H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated.

GHS07

H315 - Causes skin irritation.



## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

H336 - May cause drowsiness or dizziness.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P251 - Do not pierce or burn, even after use.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

For professional users only.

### 2.3. Other hazards

Extra phrases

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component						
hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII					
Butane (106-97-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII					
Carbon dioxide (124-38-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII					

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component						
hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605					
Butane(106-97-8)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605					
Carbon dioxide(124-38-9)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605					

## **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	Classification according to Regulation (EC) No. 1272/2008 [CLP]
hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane	EC-No.: 921-024-6 REACH-no: 01-2119475514- 35	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411



## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Butane substance with national workplace exposure limit(s) (FR)	CAS-No.: 106-97-8 EC-No.: 203-448-7 EC Index-No.: 601-004-00-0 REACH-no: 01-2119474691- 32	5 – 10	Flam. Gas 1A, H220 Press. Gas (Liq.), H280
Carbon dioxide (Propellant gas (Aerosol)) substance with national workplace exposure limit(s) (FR); substance with a Community workplace exposure limit	CAS-No.: 124-38-9 EC-No.: 204-696-9	< 2.5	Press. Gas (Liq.), H280

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case.

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general Take off immediately all contaminated clothing. Call a poison center or a doctor if you feel

unwell.

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical

advice/attention.

First-aid measures after eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get immediate medical advice/attention.

First-aid measures after ingestion Get immediate medical advice/attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation Shortness of breath.

Symptoms/effects after skin contact Irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media Water spray. Carbon dioxide. Dry powder. Foam. Sand.

Unsuitable extinguishing media Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard Extremely flammable aerosol.

Explosion hazard Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of

burns and injuries.

Hazardous decomposition products in case of fire Formation of toxic gases is possible during heating or in case of fire. Thermal

decomposition generates: Carbon dioxide. Carbon monoxide.

### 5.3. Advice for firefighters

Precautionary measures fire Fight fire remotely due to the risk of explosion.

Firefighting instructions DO NOT fight fire when fire reaches explosives. Evacuate area.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

12/13/2022 (Version: 3.0) FR - en 3/14



## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures Evacuate area. No flames, no sparks. Eliminate all sources of ignition.

6.1.1. For non-emergency personnel

Emergency procedures Ventilate spillage area. Avoid breathing spray, vapours. Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment Do not attempt to take action without suitable protective equipment. Breathing apparatus.

Emergency procedures Ventilate area.

## 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Do not flush with water.

#### 6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Additional hazards when processed Hazardous waste due to potential risk of explosion. Do not pierce or burn, even after use. Precautions for safe handling Do not eat, drink or smoke when using this product. Do not breathe vapours. Avoid contact

Do not eat, drink or smoke when using this product. Do not breathe vapours. Avoid contact with skin, eyes and clothing. Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Hygiene measures Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures Proper grounding procedures to avoid static electricity should be followed.

Storage conditions Keep cool. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Keep in fireproof place.

Incompatible materials Heat sources. Direct sunlight.

Storage temperature 5-25 °C

Heat and ignition sources

Keep away from heat and direct sunlight.

Information on mixed storage

Do not store with DX powder cartridges.

### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### 8.1.1. National occupational exposure and biological limit values

Butane (106-97-8)				
France - Occupational Exposure Limits				
Local name	n-Butane			
VME (OEL TWA) 1900 mg/m³				
VME (OEL TWA) [ppm] 800 ppm				
Remark Valeurs recommandées/admises				



## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Butane (106-97-8)					
Regulatory reference	Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)				
Carbon dioxide (124-38-9)					
EU - Indicative Occupational Exposure Limit (IOEL)					
Local name	Carbon dioxide				
IOEL TWA	9000 mg/m³				
IOEL TWA [ppm]	5000 ppm				
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC				
France - Occupational Exposure Limits					
Local name	Carbone (dioxyde de)				
VME (OEL TWA)	9000 mg/m³				
VME (OEL TWA) [ppm]	5000 ppm				
Remark	Valeurs règlementaires indicatives				
Regulatory reference	Arrêté du 30 juin 2004 modifié (réf.: INRS ED 984, 2016)				

## 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

## 8.1.4. DNEL and PNEC

hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane				
DNEL/DMEL (Workers)	DNEL/DMEL (Workers)			
Long-term - systemic effects, dermal	773 mg/kg bodyweight/day			
Long-term - systemic effects, inhalation 2035 mg/m³				
DNEL/DMEL (General population)				
Long-term - systemic effects,oral	699 mg/kg bodyweight/day			
Long-term - systemic effects, inhalation 608 mg/m³				
Long-term - systemic effects, dermal 699 mg/kg bodyweight/day				

## 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

### Appropriate engineering controls:

Ensure good ventilation of the work station.

## 8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.2.2.1. Eye and face protection

#### Eye protection:

Chemical goggles or safety glasses. EN 166. EN 170

### 8.2.2.2. Skin protection

#### Hand protection:

In case of repeated or prolonged contact wear gloves

Hand protection						
Type Material Permeation Thickness (mm) Penetration Standard						
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	_ ^	No supplementary information available	EN ISO 374	

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

No respiratory protection needed under normal use conditions. In case of insufficient ventilation, wear suitable respiratory equipment

Respiratory protection						
Device Filter type Condition Standard						
Breathing apparatus with filter	A2/P3	If conc. in air > exposure limit	EN 143			

### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

No additional information available

No additional information available

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state Liquid Colour clear. Appearance Aerosol. Odour solvent-like. Odour threshold Not available Melting point Not determined Freezing point Not available **Boiling point** Not available

Flammability Extremely flammable aerosol.

Explosive properties Product is not explosive. May form flammable/explosive vapour-air mixture.

Lower explosion limit 0.6 vol % Upper explosion limit 10.9 vol %

Flash point -12 °C (major component)
Auto-ignition temperature > 200 °C (major component)

Decomposition temperature
pH
Not determined
Viscosity, kinematic
Viscosity, dynamic
Not available
Viscosity, dynamic
Not determined
Practically not miscible.

Partition coefficient n-octanol/water (Log Kow)
Partition coefficient n-octanol/water (Log Pow)
Not available
Not determined
Vapour pressure
5500 hPa (20°C)



## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Vapour pressure at 50°C

Density

Not available

0.7 g/cm³ (20°C)

Relative density

Relative vapour density at 20°C

Particle characteristics

Not available

Not applicable

### 9.2. Other information

## 9.2.1. Information with regard to physical hazard classes

% of flammable ingredients : > 80 %

9.2.2. Other safety characteristics

VOC content 663 g/l (97,90 %)

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

No additional information available

## 10.3. Possibility of hazardous reactions

No additional information available

#### 10.4. Conditions to avoid

Heat. Sparks. Open flame. Direct sunlight. Overheating.

#### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Carbon dioxide. Carbon monoxide.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)

Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (dermal)

Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (inhalation)

Not classified (Based on available data, the classification criteria are not met)

hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane					
LD50 oral rat	> 5840 mg/kg bodyweight				
LD50 dermal rat > 2920 mg/kg bodyweight					
LC50 Inhalation - Rat (Vapours) > 25.2 mg/l/4h					
Butane (106-97-8)					
LC50 Inhalation - Rat [ppm]	> 800000 ppm/4h				
Skin corrosion/irritation Causes skin irritation. pH: Not determined					

Serious eye damage/irritation Not classified (Based on available data, the classification criteria are not met)

pH: Not determined

Respiratory or skin sensitisation

Not classified (Based on available data, the classification criteria are not met)

Germ cell mutagenicity

Not classified (Based on available data, the classification criteria are not met)

Not classified (Based on available data, the classification criteria are not met)

Reproductive toxicity

Not classified (Based on available data, the classification criteria are not met)



## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

STOT-single exposure May cause drowsiness or dizziness.

Wildy datable drows/11000 or dizzintoss.					
hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane					
STOT-single exposure May cause drowsiness or dizziness.					
STOT-repeated exposure  Not classified (Based on available data, the classification criteria are not met)  Aspiration hazard  Not classified (Based on available data, the classification criteria are not met)					
Cleaning Spray 500 ml					
Vaporizer	Aerosol				

## 11.2. Information on other hazards

No additional information available

## **SECTION 12: Ecological information**

4	_	4	_			4
7	"	1	_	റ	v	tν

Hazardous to the aquatic environment, short–term (acute)

Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term (chronic)

Toxic to aquatic life with long lasting effects. (Based on available data, the classification criteria are not met)

hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane			
LC50 - Fish [1]	11.4 mg/l (96 h, Oncorhynchus mykiss, (OECD 203 method))		
EC50 - Crustacea [1]	3 mg/l (48 h, Daphnia magna, (OECD 202 method))		
ErC50 algae	≥ 10 mg/l (72 h, Pseudokirchneriella subcapitata, (OECD 201 method))		
NOEC (chronic)	0.17 (21 d, Daphnia magna, (OECD 211 method), <tx:kft_read-across>)</tx:kft_read-across>		
NOEC chronic fish	2.045 mg/l (Quantitative structure-activity relationship (QSAR))		
NOEC chronic crustacea	0.17 mg/l (21 d; Daphnia magna; (OECD 211 method))		
NOEC chronic algae	3 mg/l (72 h, Pseudokirchneriella subcapitata, (OECD 201 method))		
Butane (106-97-8)			
LC50 - Fish [1]	24 – 148 mg/l (Quantitative structure-activity relationship (QSAR))		
EC50 - Crustacea [1]	7 – 70 mg/l (Quantitative structure-activity relationship (QSAR))		
EC50 72h - Algae [1]	7 – 17 mg/l (Quantitative structure-activity relationship (QSAR))		
Carbon dioxide (124-38-9)			
LC50 - Fish [1]	35 mg/l (96 h; Salmo gairdneri; Literature data)		

## 12.2. Persistence and degradability

hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane		
Persistence and degradability Readily biodegradable.		
Biodegradation 98 % (28 d; (OECD 301F method))		
Carbon dioxide (124-38-9)		
Persistence and degradability Not applicable.		

## 12.3. Bioaccumulative potential

Cleaning Spray 500 ml	
Partition coefficient n-octanol/water (Log Pow)	Not determined



## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Carbon dioxide (124-38-9)	
Partition coefficient n-octanol/water (Log Pow)	0.83 (Measured)

### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Regional legislation (waste)

Waste treatment methods

Product/Packaging disposal recommendations

Additional information

European List of Waste (LoW) code

HP Code

Disposal must be done according to official regulations.

Dispose of contents/container in accordance with licensed collector's sorting instructions.

Container under pressure. Do not drill or burn even after use.

Flammable vapours may accumulate in the container.

15 01 04 - metallic packaging

20 01 13\* - solvents

HP3 - "Flammable:"

- flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
- flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
- flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
- flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
- water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
- other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.
- HP5 "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration.
- HP4 "Irritant skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.
- HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / RID

III doodraanoe wan ABRA IIIBO AMAA AB				
ADR IMDG		IATA	RID	
14.1. UN number or ID number				
UN 1950 UN 1950		UN 1950	UN 1950	
14.2. UN proper shipping name				
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	



## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	RID	
Transport document description				
UN 1950 AEROSOLS, 2.1, (D)	UN 1950 AEROSOLS, 2.1	UN 1950 Aerosols, flammable, 2.1	UN 1950 AEROSOLS, 2.1	
14.3. Transport hazard class(es)				
2.1	2.1	2.1	2.1	
2	<b>₹</b> 2	2	2	
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	
	ces derogation applies (quantity of lic ore not required, as stated in the ADI	uids ≤ 5 litres or net mass of solids ≤ 5 regulation, section 5.2.1.8.1.	5 kg). The environmentally	
No supplementary information availa	able			

## 14.6. Special precautions for user

## **Overland transport**

Classification code (ADR) 5F

Special provisions (ADR) 190, 327, 344, 625

Limited quantities (ADR) 11
Excepted quantities (ADR) E0

Packing instructions (ADR) P207, LP200 Special packing provisions (ADR) PP87, RR6, L2

Mixed packing provisions (ADR) MP9

Transport category (ADR) 2

Special provisions for carriage - Packages (ADR) V14

Special provisions for carriage - Loading, unloading CV9, CV12

and handling (ADR)

Special provisions for carriage - Operation (ADR) S2
Tunnel restriction code (ADR) D

## Transport by sea

Special provisions (IMDG) 63, 190, 277, 327, 344, 381, 959

Limited quantities (IMDG) SP277 Excepted quantities (IMDG) E0 Packing instructions (IMDG) P207, LP200 Special packing provisions (IMDG) PP87, L2 EmS-No. (Fire) F-D EmS-No. (Spillage) S-U Stowage category (IMDG) None Stowage and handling (IMDG) SW1, SW22 Segregation (IMDG) SG69

Air transport

MFAG-No

PCA Excepted quantities (IATA) E0

126



## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PCA Limited quantities (IATA)	Y203
PCA limited quantity max net quantity (IATA)	30kgG
PCA packing instructions (IATA)	203
PCA max net quantity (IATA)	75kg
CAO packing instructions (IATA)	203
CAO max net quantity (IATA)	150kg

Special provisions (IATA) A145, A167, A802

ERG code (IATA) 10L

### Rail transport

Classification code (RID) 5F

Special provisions (RID) 190, 327, 344, 625

Limited quantities (RID) 1L Excepted quantities (RID) E0

Packing instructions (RID) P207, LP200 Special packing provisions (RID) PP87, RR6, L2

Mixed packing provisions (RID) MP9

Transport category (RID) 2

Special provisions for carriage – Packages (RID) W14

Special provisions for carriage - Loading, unloading CW9, CW12

and handling (RID)

Colis express (express parcels) (RID) CE2 Hazard identification number (RID) 23

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION** 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.1.1. EU-Regulations

## **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description	
3(a)	Cleaning Spray 500 ml; hydrocarbons, C6-C7, n- alkanes, isoalkanes, cyclics, < 5% n-hexane	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	
3(b)	Cleaning Spray 500 ml; hydrocarbons, C6-C7, n- alkanes, isoalkanes, cyclics, < 5% n-hexane	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	Cleaning Spray 500 ml; hydrocarbons, C6-C7, n- alkanes, isoalkanes, cyclics, < 5% n-hexane	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	
40.	Cleaning Spray 500 ml; hydrocarbons, C6-C7, n- alkanes, isoalkanes, cyclics, < 5% n-hexane; propane; Butane; isobutane	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	



## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

## VOC Directive (2004/42)

VOC content

663 g/l (97,90 %)

#### Seveso Directive (Disaster Risk Reduction)

Seveso III Part I (Categories of dangerous substances)	Qualifying quantity (tonnes)	
	Lower-tier	Upper-tier
P3a FLAMMABLE AEROSOLS 'Flammable' aerosols Category 1 or 2, containing flammable gases Category 1 or 2 or flammable liquids Category 1	150	500
E2 Hazardous to the Aquatic Environment in Category Chronic 2	200	500

## **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

## Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### 15.1.2. National regulations

#### **France**

Occupational diseases	
Code	Description
RG 66	Occupational rhinitis and asthma

### 15.2. Chemical safety assessment

No additional information available

## **SECTION 16: Other information**

Indication of changes			
Section	Comments		
	General		SDS EU format according to COMMISSION REGULATION (EU) 2020/878
1	UFI	Added	



# Cleaning Spray 500 ml Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes			
Section	Changed item	Change	Comments
2.2	Labelling according to Regulation (EC) No. 1272/2008 [CLP]	Modified	
3	Composition/information on ingredients	Modified	
8.2	Personal protective equipment	Added	
9	Physical and chemical properties	Modified	
11	Toxicological information	Modified	
12.1	Ecotoxicological information	Modified	
15	Regulatory information	Added	

Abbreviations and acronyms:		
CAS-No.	Chemical Abstract Service number	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DNEL	Derived-No Effect Level	
EC50	Median effective concentration	
ED	Endocrine disrupting properties	
EC-No.	European Community number	
EN	European Standard	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
IOELV	Indicative Occupational Exposure Limit Value	
LC50	Median lethal concentration	
LD50	Median lethal dose	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
N.O.S.	Not Otherwise Specified	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
TLM	Median Tolerance Limit	
TRGS	Technical Rules for Hazardous Substances	
VOC	Volatile Organic Compounds	
WGK	Water Hazard Class	
vPvB	Very Persistent and Very Bioaccumulative	
NOAEL	No-Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
LOAEL	Lowest Observed Adverse Effect Level	

Data sources

Source: European Chemicals Agency, http://echa.europa.eu/. manufacturer.

Full text of H- and EUH-statements:		
Aerosol 1	Aerosol, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
Flam. Gas 1A	Flammable gases, Category 1A	
Flam. Liq. 2	Flammable liquids, Category 2	
H220	Extremely flammable gas.	
H222	Extremely flammable aerosol.	
H225	Highly flammable liquid and vapour.	
H229	Pressurised container: May burst if heated.	
H280	Contains gas under pressure; may explode if heated.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H336	May cause drowsiness or dizziness.	
H411	Toxic to aquatic life with long lasting effects.	
Press. Gas (Liq.)	Gases under pressure : Liquefied gas	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	

SDS EU Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.